

**PARTALL Hi-Temp Wax**

Safety Data Sheet  
according to Regulation (EU) 2015/830

Version: 3.0  
Revision date: 2018-05-30  
Print date: 2018-06-01

**SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product Identifier**

Product form : Mixture  
Trade name : PARTALL Hi-Temp Wax

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses : Release agent

**1.3 Details of the supplier of the safety data sheet**

Company : REXCO  
P.O. Box 80996  
Conyers, GA 30094  
U.S.A.

Telephone : + 1 770-483-7610  
Fax : + 1 770-483-8550  
Email : info@rexco-usa.com  
Website : www.rexco-usa.com

**1.4 Emergency telephone number**

Chemtrec (24 hours/day) : 1-800-434-9300 (USA and Canada)  
: +1 703-527-3887 (international; collect calls accepted)

**SECTION 2. Hazards Identification****2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008 (CLP)

Asp. Tox. 1                      H304                      May be fatal if swallowed and enters airways.

See section 16 for full text of H-phrases.

**2.2 Label elements**

Labeling according to Regulation (EC) No 1272/2008 (CLP)

Pictograms



**Signal word** : **Danger**

**Hazard statements**

H304                      May be fatal if swallowed and enters airways.

**Precautionary statements**

P101                      If medical advice is needed, have product container or label at hand.  
P102                      Keep out of reach of children.  
P103                      Read label before use.  
P301 + P310              IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### 2.3 Other hazards

Material does not meet the criteria for PBT or vPvB in accordance with REACH Annex XIII.

## SECTION 3. Composition/information on ingredients

### 3.1 Substances

Not applicable. This material is not defined as a substance.

### 3.2 Mixtures

This material is defined as a mixture.

#### Components contributing to the classification of this material

	%
(Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics)	55 - 65
CAS No. 64742-47-8	
EC No. 926-141-6	
Asp. Tox. 1, H304	

Components not listed are either non-hazardous or are below reportable limits. Concentrations are in percent by weight.

## SECTION 4. First aid measures

### General information

Do not leave victim unattended. Show this safety data sheet to doctor in attendance.

### 4.1 Description of first aid measures

#### Inhalation

Provide fresh air if light-headed or having difficulty breathing. Provide artificial respiration if needed. If difficulty breathing persists, seek medical attention. If unconscious, place victim on their side for transport to medical facility.

#### Skin

Remove contaminated clothing and wash affected area with soap and warm water. If irritation persists, seek medical attention. Launder contaminated clothing and shoes prior to reuse.

#### Eyes

Flush immediately with cold water for 15 minutes. Remove contact lenses. Keep eye wide open while rinsing. Get prompt medical attention.

#### Ingestion

Seek immediate medical attention. Do not induce vomiting. If spontaneous vomiting occurs keep victim's head below hips to prevent aspiration into lungs. Do not leave individual unattended.

### 4.2 Most important symptoms and effects, both acute and delayed

Can cause eye irritation. May cause skin irritation. If swallowed, can cause nausea and vomiting with danger of Chemical Pneumonia. Prolonged or repeated exposure may result in conjunctiva, skin dermatitis, and central nervous system depression, including headache, dizziness, loss of coordination, and unconsciousness.

### 4.3 Indication of any immediate medical attention and special treatment

Treat symptomatically. Seek immediate medical attention if ingested.

## SECTION 5. Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Standard procedure for chemical fires. Use dry chemicals or foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media**

Water may be unsuitable as an extinguishing media but helpful in keeping adjacent areas cool. Avoid spreading burning liquid with water used for cooling purposes. Do not use water jet.

**5.2 Special hazards arising from the substance or mixture**

None inherent to this product.

**Hazardous decomposition products formed during combustion**

Carbon oxides, fluorinated compounds

**5.3 Advice for firefighters**

Evacuate area. Firefighters should use standard protective equipment and should use self-contained breathing apparatus in enclosed spaces. Use water spray to cool surfaces exposed to fire and to protect personnel.

**SECTION 6. Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Ensure adequate ventilation. Keep sources of ignition and hot metal surfaces isolated from spill.

**6.2 Environmental precautions**

Prevent product from entering drains, waterways, sewers, and soil. Stop spill at source and prevent further leakage or spillage if safe to do so. Notify proper authorities if product enters sewers or public waters.

**6.3 Methods and material for containment and cleaning up**

Confine spill and place into suitable, closed container for disposal. Dispose of in accordance with regional, national, and local laws and regulations.

**6.4 Reference to other sections**

Section 7: safe handling. Section 8: personal and protective equipment. Section 10: incompatible materials. Section 13: disposal information. Section 16: full text of abbreviations.

**SECTION 7. Handling and storage****7.1 Precautions for safe handling**

Use in a well ventilated area or use appropriate respirator when ventilation is inadequate. Do not breathe vapor. Wear personal protective clothing and equipment as indicated in Section 8. Eliminate all sources of ignition. Do not ingest. Use good industrial hygiene practices in handling this material. Do not smoke, eat or drink while using this product. Avoid contamination of tobacco products when handling this material. Inhalation of vapors in the presence of tobacco products can result in polymer fume fever. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and leaving work. Clean up spills as soon as they occur. Empty containers may contain residual amounts of this product and should be handled with care. Do not reuse containers.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in accordance with local regulations. Store in a dry, cool and well-ventilated area away from direct sunlight. Avoid freezing. Store away from incompatible materials (see Section 10) and food and drink. Store in original container. Keep container tightly closed when not in use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Provide appropriate fire extinguishers and spill cleanup equipment in or near storage area. Keep unauthorized personnel away.

**7.3 Specific end uses**

See section 1.2

**SECTION 8. Exposure controls/personal protection****8.1 Control parameters****Ingredients with limit values that require monitoring:**

Contains no substances with occupational exposure limit values.

**Ingredients with biological limit values:**

Contains no substances with biological limit values.

**8.2 Exposure controls****Engineering controls**

Provide adequate local exhaust ventilation. Maintain eye wash fountain and safety shower in work area.

**Personal protective equipment****General protective and hygienic measures**

Do not eat, drink, or smoke while using. Wash hands before breaks and at the end of workday. Immediately remove all soiled or contaminated clothing.

**Eye and face protection**

Chemical safety glasses with side shields, goggles or face shield are recommended. Eye wash stations are recommended for the work area.

**Skin and body protection**

Wear chemical resistant clothing and shoes. Safety showers are recommended for the work area.

**Respiratory protection**

Provide sufficient general and/or local exhaust. If engineering controls are not sufficient to protect worker health use a half-face filter respirator approved under applicable regulatory standards.

**Hand protection**

Wear chemical resistant impervious gloves. Glove suitability and breakthrough time will differ depending on the specific use conditions. Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions. Inspect and replace worn or damaged gloves.

**Environmental controls**

Prevent product from entering drains. Stop spill at source and prevent further leakage or spillage if safe to do so. If product contaminates rivers and lakes or drains, notify proper authorities.

**SECTION 9. Physical and chemical properties**

<b>Physical state</b>	: Solid
<b>Physical form</b>	: Paste
<b>Colour</b>	: White
<b>Odour</b>	: Aliphatic
<b>Odour threshold</b>	: No data available
<b>Melting point</b>	: 48 °C (120 °F)
<b>Freezing point</b>	: No data available
<b>Initial boiling point and boiling range</b>	: 203 °C – 238 °C (397 °F – 460 °F)
<b>Flammability</b>	: Not classified
<b>Upper flammability limit</b>	: Not applicable
<b>Lower flammability limit</b>	: Not applicable
<b>Flash point</b>	: > 80 °C (> 176 °F)
<b>Auto-ignition temperature</b>	: No data available
<b>Decomposition temperature</b>	: No data available
<b>pH</b>	: No data available
<b>Viscosity</b>	: Not applicable
<b>Solubility (water)</b>	: Not soluble
<b>Partition coefficient n-octanol/water (log value)</b>	: No data available
<b>Vapour pressure</b>	: No data available
<b>Relative density at 24 °C (water = 1)</b>	: 0.76 - 0.80
<b>Volatile organic compounds (VOC)</b>	
<b>VOC - actual</b>	: 527 g/L
<b>VOC less water &amp; exempt solvents</b>	: 527 g/L

**SECTION 10. Stability and reactivity**

**10.1 Reactivity**

Not reactive under normal conditions of use.

**10.2 Chemical stability**

Stable under normal conditions of use.

**10.3 Possibility of hazardous reactions**

No dangerous reactions known under normal conditions of use.

**10.4 Conditions to avoid**

Avoid heat, sparks, open flames, hot surfaces, or other sources of ignition.

**10.5 Incompatible materials**

Strong oxidizing agents, strong acids, strong bases, reactive metals, halogenated compounds, aldehydes, alkali metals, alkaline earth metals

**10.5 Hazardous decomposition products**

Carbon oxides, fluorinated compounds

**SECTION 11. Toxicological Information**

**11.1 Information on toxicological effects**

Acute toxicity : Not classified

LD/LC50 values that are relevant for classification:

(Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics)  
 CAS No. 64742-47-8  
 EC No. 926-141-6

Oral	LD50	rat	> 5000 mg/kg
Dermal	LD50	rabbit	> 5000 mg/kg
Inhalative	LC50	rat	> 5000 mg/m <sup>3</sup> /8h

Skin corrosion/irritation : Expected to be slightly irritating  
 Serious eye damage/irritation : Expected to be slightly irritating  
 Respiratory or skin sensitisation : Not classified  
 Germ cell mutagenicity : Not classified  
 Carcinogenicity : Not classified  
 Reproductive toxicity : Not classified  
 STOT-single exposure : Not classified  
 STOT-repeated exposure : Not classified  
 Aspiration hazard : May be fatal if swallowed and enters airway

**SECTION 12: Ecological information**

**12.1 Toxicity** : Not expected to be toxic.  
**12.2 Persistence and degradability** : Expected to be inherently biodegradable.  
**12.3 Bioaccumulative potential** : No data available  
**12.4 Mobility in soil** : No data available  
**12.5 Other adverse effects** : No data available  
**12.6 General notes** : No data available

**SECTION 13. Disposal considerations**

**13.1 Waste treatment methods**

Dispose of in accordance with regional, national, and local laws and regulations.

Material disposal : Do not dispose of waste into sewer. Do not contaminate ponds, waterways, or ditches with product or used container. Send to a licensed waste management company.

Container disposal : Do not dispose of waste into sewer. Do not contaminate ponds, waterways, or ditches with product or used container. Send to a licensed waste management company.

#### SECTION 14. Transport information

##### 14.1 UN number

Not regulated

##### 14.2 UN proper shipping name

DOT : Not regulated

ADR : Not regulated

IMDG : Not regulated

IATA : Not regulated

##### 14.3 Transport hazard class

Not regulated

##### 14.4 Packing group

Not regulated

##### 14.5 Environmental hazards

Not regulated

##### 14.6 Special precautions for user

Not regulated

##### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not regulated

##### 14.8 Additional information

Not regulated

#### SECTION 15. Regulatory information

##### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No information available for this material. Information provided is for components.

##### OSHA Hazard Communication Standard

This material is hazardous in accordance with OSHA HazCom 2012, 29 CFR 1910.1200

##### Superfund Amendments and Reauthorization Act (SARA)

##### SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

##### SARA 311/312 Hazard Categories

Immediate (acute) health hazard

##### SARA 313 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 313

##### Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

No chemicals in this material are subject to the reporting requirements of CERCLA.

**California Proposition 65**

This product contains the following chemicals which are known to the State of California to cause cancer, reproductive toxicity or birth defects (developmental toxicity):

None known

**This product contains the following Right to Know components:****Component**

Distillates (petroleum), hydrotreated light (CAS No. 64742-47-8)

**U.S. State Right to Know list**

: Massachusetts, New Jersey, Pennsylvania

**Regulation (EC) No 1907/2006, Title VII, Article 57 - Substances of Very High Concern (SVHC)**

No components of this material are listed.

**Regulation (EC) No 1907/2006, Annex XIV - List of Substances Subject to Authorization**

No components of this material are listed.

**Regulation (EC) No 1907/2006, Annex XVII - Restrictions of Certain Dangerous Substances, Mixtures and Articles**

No conditions of restriction

**International Agency for Research on Cancer (IARC)**

This product contains the following chemicals classified by IARC as carcinogenic:

None known

**Chemical inventories**

Components are listed or exempted from listing on the following chemical inventories:

AICS	Australian Inventory of Chemical Substances
DSL / NDSL	Domestic Substances List / Non-Domestic Substances List
EINECS	European Inventory of Existing Commercial Chemical Substances
ENCS	Existing and New Chemical Substances
IECS	Inventory of Existing Chemical Substances Produced or Imported in China
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substances Control Act

**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out for this product.

**SECTION 16. Other information**

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. REXCO MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether this product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate this product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

**Abbreviations and acronyms**

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
AGS	Committee on Hazardous Substances
Asp. Tox. 1	Aspiration hazard - Category 1
CAS	Chemical Abstract Service
DFG	German Research Foundation
DOT	U.S. Department of Transportation
EC	European Community
EmS	Emergency Response Procedures for Ships Carrying Dangerous Goods
IATA	International Air Transport Association

IMDG	International Maritime Dangerous Goods
JSOH	Japanese Society for Oral Health
LC50	Lethal concentration, 50 percent
LD50	Lethal does, 50 percent
LTEL	Long term exposure limit
NIOSH	National Institute for Occupational Safety and Health
OSHA	U.S. Occupational Safety and Health Administration
OSHA HCS	U.S. Occupational Safety and Health Administration Hazard Communication Standard
PBT	Persistent, Bioaccumulative and Toxic
STEL	Short term exposure limit
vPvB	very Persistent and very Bioaccumulative